

(Click on Well Log ID to Access Image of Well Strip Log)

MISSISSIPPI

(Records are Sorted by Township, Range, and Section)

LOG ID: 022993

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1964/09/01

TOWNSHIP 23N

RANGE

SECTION

ELEVATION:

292FT

County Base Map

DRILL DEPTH:

130FT

16E 14

UTM X 831,487.38

ZONE 15

ZONE 15

UTM Y 4,061,396.40

DEPTH TO BED:

FT

REMARKS:

Missouri Conservation Commission - BIG OAK TREE STATE PARK

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 023576

WELL TYPE

Noncommunity Public Well

DRILL DATE:

13

19

TOWNSHIP

SECTION RANGE

ELEVATION:

295FT

DRILL DEPTH:

85FT

16E 23N 14

> UTM X 832,234.38

UTM Y 4,061,906.40

DEPTH TO BED:

FT

REMARKS:

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Irrigation Well

021058

DRILL DATE:

1962/05/01

TOWNSHIP

SECTION RANGE

ELEVATION:

835,413.38

297FT

DRILL DEPTH:

85FT

23N 17E 18

UTM X

UTM Y

4,061,456.41

DEPTH TO BED:

6

1

FT

1.5 MI N OF DORENA

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 020926

WELL TYPE Private Well

DRILL DATE:

1962/04/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

304FT

DRILL DEPTH:

90FT

23N 17E 21

UTM X

ZONE 15

838,842.39

UTM Y 4,059,867.41

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

2 MI N OF DORENE

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024204

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Oil Well

DRILL DATE: 1965/12/10

4,909FT

500FT

TOWNSHIP RANGE SECTION 24N

17E

ELEVATION:

293FT

UTM X

UTMY 4,072,614.39

834,429.35

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

#1 BIG OAK TREE **REMARKS**:

LOG ID: 027108

WELL TYPE Oil Well

DRILL DATE:

DRILL DEPTH: 1,445FT

DEPTH TO BED: 300FT **TOWNSHIP** 24N

TOWNSHIP

24N

RANGE 17E

RANGE

17E

SECTION 7

ELEVATION:

284FT

UTM X

UTMY 4,072,714.39 834,529.35

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

#2 BIG OAK FARMS, PLUG SET FROM 25' TO SURFACE

SECTION

7

NO SAMPLES LOGGED, DRY & ABANDONED

OVERFLOW

LOG ID: 027298

WELL TYPE Oil Well

DRILL DATE:

DRILL DEPTH:

1.532FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 019763

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1961/02/21

DRILL DEPTH:

65FT

4

TOWNSHIP 25N

RANGE 15E

SECTION 17

ELEVATION:

ELEVATION:

UTM X

834,729.35

293FT

289FT

UTMY

4,072,714.39

UTM X UTM Y

ZONE 15

815,816.30 4,079,435.32

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: **LIGNITE 40-65'**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008315

WELL TYPE

Community Public Well

1943/04/10 DRILL DATE:

95FT

6

DRILL DEPTH: UTM X **UTMY**

TOWNSHIP

25N

REMARKS:

DEPTH TO BED: 822,606.32 4,076,481.35

RANGE

15E

SECTION

25

ZONE 15

ELEVATION:

306FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

012930 Community Public Well

DRILL DATE: **TOWNSHIP SECTION** 1954/00/00 **RANGE ELEVATION:** 303FT

25N 15E 25 DRILL DEPTH: 100FT

FT

UTM X UTMY DEPTH TO BED: 822,506.32 4,076,682.35

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: "#3" CROSSED OUT, NOW #2

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Community Public Well 018357

DRILL DATE: 1959/06/19 **TOWNSHIP RANGE SECTION ELEVATION:** 314FT

25N 15E 36 96FT

DRILL DEPTH: UTM X **UTMY**

DEPTH TO BED: 823,032.33 4,075,644.35 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: LIGNITE @ 60-65'

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

134FT

026963 Community Public Well

DRILL DATE: 1971/11/10 **TOWNSHIP RANGE SECTION ELEVATION:** 307FT

UTM X UTM Y DEPTH TO BED: 823.106.33 4,075,649.35

15E

36

ZONE 15

25N

S.W.L. (BEFORE CASING): FT **REMARKS: NEAR HIGH SCHOOL**

S.W.L. (AFTER CASING): 9



RANGE

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028984

DRILL DEPTH:

WELL TYPE

Community Public Well

2003/04/04 DRILL DATE:

25N 15E 36 600FT

REMARKS:

REMARKS:

REMARKS:

TOWNSHIP

UTM X **UTMY**

SECTION

5

4.5 MI W, 3 MI N OF EAST PRAIRIE; LIGNITE 35-55'

DEPTH TO BED:

823,158.33 4,075,592.35 ZONE 15

ELEVATION:

305FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 019757

DRILL DATE: **TOWNSHIP SECTION** 1961/02/13 **RANGE ELEVATION:** 314FT

25N 15E DRILL DEPTH: 70FT

UTM X UTMY DEPTH TO BED: 816,014.26 4,083,618.32

5 MI S OF BERTRAND

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 3

LOG ID: 019760

WELL TYPE Private Well

DRILL DATE: 1961/02/16 **TOWNSHIP RANGE SECTION ELEVATION:** 310FT

25N 15E 5 **DRILL DEPTH:** 70FT

UTM X **UTMY**

DEPTH TO BED: 816,014.26 4,083,200.32

ZONE 15 S.W.L. (BEFORE CASING): FT

5 S.W.L. (AFTER CASING):

LOG ID:

015043

DEPTH TO BED:

WELL TYPE Monitoring Well

125FT

1956/10/15 **DRILL DATE:**

DRILL DEPTH: 130FT

S.W.L. (BEFORE CASING):

RANGE SECTION TOWNSHIP 25N

16E 29

> UTM X UTM Y

ELEVATION:

825.318.32 4,076,505.36

305FT

ZONE 15

FT OBSERVATION WELL; MO HWY DEPT @ EAST PRAIRIE **REMARKS**:

S.W.L. (AFTER CASING): 13



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018557

WELL TYPE Private Well

DRILL DATE:

1959/00/00 **TOWNSHIP** 25N

RANGE SECTION **ELEVATION:**

305FT

DRILL DEPTH:

65FT

16E 31

UTM X 823,964.33

UTMY

DEPTH TO BED:

8

4,075,122.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 4 MI SE OF EAST PRAIRIE

S.W.L. (AFTER CASING):

LOG ID: 028983

WELL TYPE

Community Public Well

DRILL DATE:

2002/12/

TOWNSHIP

RANGE

SECTION

ELEVATION:

305FT

DRILL DEPTH:

600FT

25N 16E 36

UTM X

UTMY

832,905.32

4,076,008.38

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

5FT

REMARKS:

directly south of East Prairie High School

S.W.L. (AFTER CASING):

LOG ID: 028985

WELL TYPE

Community Public Well

DRILL DATE:

2003/04/03

TOWNSHIP

RANGE

SECTION

ELEVATION:

305FT

DRILL DEPTH:

600FT

25N

REMARKS:

16E

36

directly south of East Prairie High School

UTM X

DEPTH TO BED:

5FT

UTMY 4,076,008.38

832,905.32 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028986

Community Public Well

DRILL DATE:

2003/04/03

TOWNSHIP

RANGE

SECTION

ELEVATION:

305FT

DRILL DEPTH:

600FT

25N

16E

36

UTM X

832.905.32

UTM Y

4,076,008.38

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

directly south of East Prairie High School **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024295

WELL TYPE

Community Public Well

1966/07/01 DRILL DATE:

116FT

9

25N

RANGE SECTION 16E 9

ELEVATION:

311FT

DRILL DEPTH:

UTM X 827,277.26

UTMY 4,081,673.36

ZONE 15

ZONE 15

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

017968

Private Well

DRILL DATE:

LOG ID:

1959/04/03

TOWNSHIP

TOWNSHIP

RANGE

SECTION

ELEVATION:

328FT

DRILL DEPTH:

55FT

26N 14E 13

> UTM X 812,753.21

UTMY 4,090,032.29

DEPTH TO BED:

FT

FT

REMARKS:

REMARKS: **NEAR BERTRAND**

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

6

LOG ID: 019747

WELL TYPE

Private Well

DRILL DATE:

1960/07/30

TOWNSHIP

SECTION RANGE 16

ELEVATION:

318FT

DRILL DEPTH:

78FT

26N 15E

> UTM X 816,926.20

UTMY 4,088,869.31

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

018549

Industrial High Capacity Well

8

DRILL DATE:

1959/05/01

TOWNSHIP 26N

RANGE

3 MI S, 3 MI W OF CHARLESTON

SECTION

ELEVATION:

339FT

DRILL DEPTH:

67FT

15E 17

UTM X

UTM Y

DEPTH TO BED:

815,603.20

4,089,725.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.5 MI S OF CHARLESTON

S.W.L. (AFTER CASING):

7



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017967

WELL TYPE Private Well

DRILL DATE: 1959/03/31

I <u>TOWNSHIP</u> 26N SECTION

ELEVATION:

329FT

DRILL DEPTH:

42FT

18

<u>UTM X</u> 814,282.21

ZONE 15

ZONE 15

ZONE 15

<u>UTM Y</u> 4,088,949.30

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: f

formerly in name of E.V. Edwards - "PUT IN SERVICE @ 400 GPM"

S.W.L. (AFTER CASING):

LOG ID: 019734

WELL TYPE Private Well

DRILL DATE:

1961/01/16

TOWNSHIP

RANGE

<u>SECTION</u>

ELEVATION:

319FT

DRILL DEPTH:

75FT

26N 15E 20

RANGE

15E

<u>UTM X</u> 816,080.21 <u>UTM Y</u> 4,088,514.31

DEPTH TO BED:

9

8

FT

FT

REMARKS:

REMARKS:

formerly in name of Crow and Bill Haks? - 2 MI S OF BERTRAND

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 019759

WELL TYPE Private Well

<u>TOWNSHIP</u>

<u>RANGE</u>

SECTION 20

3 MI S OF BERTRAND; LIGNITE @ 25-30'

ELEVATION:

318FT

DRILL DATE:

DRILL DEPTH:

77FT

1961/03/17

26N 15E

<u>UTM X</u> 815,680.22 <u>UTM Y</u> 4,087,392.31

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 019765

WELL TYPE Private Well

DRILL DATE:

1961/03/21

TOWNSHIP

RANGE

SECTION

ELEVATION:

320FT

DRILL DEPTH:

87FT

26N 15E

20

UTM X

816,080.22

UTM Y

4,087,392.31

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI S OF BERTRAND; LIGNITE 50-70'

ZONE 15

S.W.L. (AFTER CASING):

: 11



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019768

WELL TYPE Private Well

1961/03/16 DRILL DATE:

TOWNSHIP

RANGE SECTION 29

ELEVATION:

318FT

DRILL DEPTH:

26N 15E

UTM X

UTMY

DEPTH TO BED:

815,839.23 4,086,979.31

ZONE 15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: 3 MI S OF BERTRAND

LOG ID: 019758

WELL TYPE Private Well

DRILL DATE:

1961/02/06

TOWNSHIP

SECTION RANGE

ELEVATION:

317FT

DRILL DEPTH:

75FT

8

78FT

6

26N 15E

> **UTM X** 816,514.25

UTMY 4,084,140.32

DEPTH TO BED:

FT

FT

REMARKS:

formerly in name of Storm - 3.5 MI S OF BERTRAND

32

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

019767

1961/02/04

TOWNSHIP

RANGE

SECTION

ELEVATION:

318FT

DRILL DATE: DRILL DEPTH:

75FT

8

26N 15E 32

UTM X 816,314.24

UTMY 4,085,154.32

DEPTH TO BED:

REMARKS:

formerly in name of Storm - 4 MI S OF BERTRAND

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 019770

WELL TYPE Private Well

DRILL DATE:

1961/02/01

TOWNSHIP 26N

RANGE 15E

SECTION 32

ELEVATION:

UTM X

308FT

DRILL DEPTH:

DEPTH TO BED:

75FT

7

UTM Y

815.714.25 4,084,546.31

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of Storm - 4 MI S OF BERTRAND

2/27/2007

3,703



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018140

WELL TYPE Private Well

1959/04/10 DRILL DATE:

TOWNSHIP 26N

SECTION 8

ELEVATION:

320FT

DRILL DEPTH:

53FT

RANGE 15E

UTM X

UTMY

DEPTH TO BED:

9

815,832.19 4,091,257.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.5 MI N, 0.5 MI W OF BERTRAND

S.W.L. (AFTER CASING):

LOG ID: 023842

WELL TYPE

Community Public Well

168FT

8

DRILL DATE:

1965/07/08

TOWNSHIP

SECTION RANGE

ELEVATION:

321FT

DRILL DEPTH:

26N

15E

9

DEPTH TO BED:

UTM X 816,680.19

UTMY 4,090,725.31

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 028930

WELL TYPE

Community Public Well

DRILL DATE:

2002/03/

TOWNSHIP

RANGE SECTION

9

ELEVATION:

318FT

DRILL DEPTH:

182FT

26N 15E

UTM X

UTMY

DEPTH TO BED:

816,652.19 4,090,699.31

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

001959

Community Public Well

DRILL DATE:

1914/00/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

325FT

DRILL DEPTH:

112FT

26N 16E

UTM X

UTM Y

DEPTH TO BED:

825.412.13

4,093,149.35 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

ABANDONED IN 1925; @ WATER PUMPING STATION

5



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002661

WELL TYPE

Community Public Well

DRILL DATE:

1925/00/00

TOWNSHIP 26N

RANGE SECTION **ELEVATION:**

325FT

DRILL DEPTH:

400FT 115FT 16E

5

UTM X

UTMY 4,092,839.35

REMARKS:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

825,112.14

ZONE 15

S.W.L. (AFTER CASING):

FT

60

LOG ID: 009669

WELL TYPE

Community Public Well

DRILL DATE:

1927/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

325FT

DRILL DEPTH:

400FT

26N 16E

5

UTM X

UTMY

DEPTH TO BED:

335FT

825,312.14

4,092,735.35

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

ABANDONED PRIOR TO 1946

LOG ID:

WELL TYPE

009670

Community Public Well

DRILL DATE:

1927/00/00

TOWNSHIP

26N

RANGE SECTION **ELEVATION:**

330FT

DRILL DEPTH:

400FT

16E

UTM X

UTM Y

DEPTH TO BED:

140FT

5

825,212.14 4,092,942.35

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NEXT TO CITY HALL; "IN USE IN 1946"

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011901

WATER TEST WELL (HOLE)

DRILL DATE:

TOWNSHIP 26N

RANGE SECTION **ELEVATION:**

330FT

DRILL DEPTH:

405FT 115FT 16E 5

UTM X

UTM Y 4,092,839.35

825.112.14 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

"TEST WELL", NEXT TO CITY HALL

S.W.L. (AFTER CASING):



RANGE

SECTION

8

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018268

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1959/07/10

> 26N 16E 8 870FT

> > **REMARKS**:

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 120FT

"TEST HOLE"

TOWNSHIP

826,089.14 4,092,236.35

ELEVATION:

ZONE 15

328FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 1

LOG ID:

WELL TYPE

WATER TEST WELL (HOLE) 018685

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 328FT

26N 16E DRILL DEPTH: 810FT

FT

UTM X UTMY DEPTH TO BED: 115FT 825,189.15 4,091,618.35

ZONE 15

S.W.L. (BEFORE CASING): SHORT 1 X 0.75 MI SECTION; "15TH BLK S OF CRT HOUSE @ END REMARKS:

S.W.L. (AFTER CASING): OF MAIN ST".

LOG ID: 019911

WELL TYPE

Oil Well

DRILL DATE: 1960/12/01 **TOWNSHIP RANGE SECTION ELEVATION:** 314FT

26N 17E 6 **DRILL DEPTH:** 1,050FT

UTM X **UTMY**

DEPTH TO BED: 410FT 833,096.10 4,094,202.39

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: #1 DeLANCY -

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

465FT

023670 Community Public Well

SECTION DRILL DATE: 1965/08/11 **TOWNSHIP RANGE ELEVATION:** 317FT 26N 17E 9

UTM X UTM Y DEPTH TO BED: 836.556.14 4,091,762.42 165FT

ZONE 15

"EXCELLENT SET OF SAMPLES"; SCREEN SET IN

UNCONSOLIDATED SANDS S.W.L. (AFTER CASING): 17

REMARKS:

FT

MISSISSIPPI

S.W.L. (BEFORE CASING):